

TRANSPORTATION POOLED FUND PROGRAM QUARTERLY PROGRESS REPORT

Lead Agency (University or Contractor): __Kansas DOT__

INSTRUCTIONS:

Project Managers and/or research project investigators should complete a quarterly progress report for each calendar quarter during which the projects are active. Please provide a project schedule status of the research activities tied to each task that is defined in the proposal; a percentage completion of each task; a concise discussion (2 or 3 sentences) of the current status, including accomplishments and problems encountered, if any. List all tasks, even if no work was done during this period.

Transportation Pooled Fund Project Number TPF-5(351)	Transportation Pooled Fund Program - Report Period: <input type="checkbox"/> Quarter 1 (January 1 – March 31) <input type="checkbox"/> Quarter 2 (April 1 – June 30) <input checked="" type="checkbox"/> Quarter 3 (July 1 – September 30) <input type="checkbox"/> Quarter 4 (October 4 – December 31)	
Project Title: Self De-icing LED Signals		
Project Manager: Carla Anderson	Phone: 785-296-0357	E-mail: Carla.anderson@ks.gov
Project Investigator: Hongyi Cai	Phone: 785-864-2597	E-mail: hycail@ku.edu
Lead Agency Project ID: RE-0721-01	Other Project ID (i.e., contract #):	Project Start Date: August 15, 2016
Original Project End Date: August 2019	Current Project End Date: June 2021	Number of Extensions: 1

Project schedule status:

On schedule
 On revised schedule
 Ahead of schedule
 Behind schedule

Overall Project Statistics:

Total Project Budget	Total Cost to Date for Project	Total Percentage of Work Completed
\$240,000 original, \$360,000 with addendum	\$239,750	76%

Quarterly Project Statistics:

Total Project Expenses This Quarter	Total Amount of Funds Expended This Quarter	Percentage of Work Completed This Quarter
\$26,113	\$26,113	5%

Project Description:

This pooled fund project will develop and demonstrate new self de-icing LED signals for highway signalized intersections and railroad signaling applications to solve a well-known problem of the existing LED signal light whose lens is too cool to melt snow and de-ice in wintry conditions. The self de-icing LED signals will adopt one or both of two novel architectures (Figure 1), including (a) “Heated Lens Lighting Arrangement” that uses a single high-power LED and (b) “Heat Arrangement of LED Arrays in Low Profile” that deploys multiple LEDs. The heat generated by the LED(s) is harvested by the passive heat exchanger and stored to heat the lens for melting snow and de-icing in wintry conditions.




Figure 1 The concept of the self de-icing LED signal light, which adopts new architecture of “Heated Lens Lighting Arrangement” or “Heat Arrangement of LED Arrays in Low Profile”

Fully working prototypes of the self-de-icing LED signals have been developed and tested in the laboratory. They have been tested in closed-course settings on the roof of an engineering building followed by field tests on highway intersection or railroad wayside or at-grade crossing signal lights. Each participating agency is required to provide support of three years of funding (\$20,000/year, totaling \$60,000) and will be guaranteed a field test site in each state for testing the fully working prototypes catering to their specific needs of the new type of signals. The research team will work with each participating agency to identify the desired test site on highway intersections or rail track sections and the desired technical specifications for testing the prototypes.

The investigative approach for the proposed project is divided into three stages. Work in Stage 1 focuses on laboratory development and tests. Work in Stage 2 focuses on testing the three prototypes in a closed-course setting on the roof of the University of Kansas engineering complex and powered by the signal controller cabinet. Work in the third and final stage involves field testing of the developed prototypes on identified test sites. On-site demonstration of the prototype signals will also be held for project partners and state DOTs to initiate the implementation process. A final report will provide all relevant data and results along with plans for implementation of the self-de-icing LED signals in affected states.

Progress this Quarter (includes meetings, work plan status, contract status, significant progress, etc.):

During the third quarter (July 1, 2019 – Sept 30, 2019) of the project period, we have the following accomplishments.

In the present quarter (July, 2019 – Sept 30, 2019), preparations are underway for field tests. A total of 21 new LED drivers of the third generation for the field tests were made and are under testing in the laboratory for their field performance and any possible further improvements in need for control of the yield rate in production. New fully working prototypes of the signal lights for field tests have been assembled and are under thorough final tests in the laboratory in preparation for upcoming field tests. It was found that the mass production of the signal housings needs minor adjustment for quality control. Also, a field monitoring system, which consists of a Raspberry PI computer, three cable cameras used to monitor three signal lights (Red, Yellow, Green) in each unit, four temperature sensors used to record the lens' surface temperature of the three signal lights (Red, Yellow, Green) and the ambient air temperature, USB flash drivers used to store the year around test data (pictures and temperature dataset), power supplies, and mounting accessories, have been designed and custom built in-house and are under testing in the laboratory and on the roof, which will be mounted at every field test site for year-around real-time monitoring and data recording of the new signals in the field. Once the fully working prototypes of signal lights and the field monitoring systems are tested ready for field tests, we will start to mount them in the field. Seven states (Kansas, California, Michigan, New Jersey, Wisconsin, Pennsylvania, and Maryland) are participating in field testing and evaluation of the prototypes.

More details are listed as follows.

Figure 1 shows the third generation of 21 new LED drivers (7 red LED drivers and 14 yellow/green LED drivers) made for the field tests, which are under testing in the laboratory together with the fully working prototypes for their field performance and any possible further improvements in need for control of the yield rate in production.

The third generation of LED drivers have solved the following problems, including:

- Decreased the size of the power connector of the temperature sensor, to connect through the inside hole of the installation nut and the opening hole on side of the plastic housing.
- Downsized the length of the ambient temperature sensor to 6 mm.
- Changed the power board switch to single switch.
- Enlarged the inside size of the installation hole from original **4.5mm x 3.5mm (LxW)** to **6mm x 4.5 mm**.
- Changed the final designed output current of Yellow/Green LED drivers to **0.40 A (derated) /0.84 A(full output)**.
- Changed the final designed output current of Red LED drivers to **0.60 A (derated) /1.1 A(full output)**.
- The ambient temperature sensor's switching temprature was set by the factory at 6°C, which would be actually close to approximately 4° C (still testing).




(a)




(b)

Figure 1 The third generation of LED drivers with all improvements, (a) Red LED drivers with designed power output of 0.60 A (derated) /1.1 A(full output), (b) Yellow/Green LED drivers with designed power output of 0.40 A (derated) /0.84 A(full output)

As shown in Figure 2, new fully working prototypes of the signal lights for field tests have been assembled and are under thorough final tests in the laboratory in preparation for upcoming field tests. A total of nine prototypes are currently under testing, including 6 being tested in the laboratories (cold-room lab at cold temperature, and the darkroom at room temperature), and 3 being tested on the roof of the engineering complex. Alternative insulation materials were also tested for equivalent thermal performance but at lower cost of the materials, as shown in Figure 2(b). Figure 2(c) is a screen copy of a portion of the test data (lens surface temperature of different color signals and the ambient air temperature) collected at room temperature with derated power output (as supposed to).



(a)



(b)

DATA#	RED	YELLOW	GREEN	AMBIENT
2667	36.187	32.5	32.937	23.437
2668	36.25	32.562	33.062	23.562
2669	35.75	31.875	32.437	23.062
2670	36.062	32.25	32.75	23.125
2671	36.062	32.312	32.937	23.375
2672	35.75	32.125	32.875	23.312
2673	36.312	32.5	32.937	23.875
2674	36.437	32.562	33.062	23.687
2675	36.625	32.937	33.687	24.375
2676	36.812	32.937	33.75	24.75
2677	37.062	32.937	33.375	24.812
2678	37.187	33.125	33.562	25.187
2679	37.062	33.25	33.687	25.25
2680	37	33	33.437	25.375
2681	37.5	33.312	33.5	25.25
2682	37.562	33.625	34.187	25.437
2683	37.5	33.562	34.312	25.375
2684	37.125	33.062	33.687	24.625
2685	36.75	32.812	33.125	24.25
2686	37.062	33.062	33.375	24
2687	36.812	32.812	33.437	23.937
2688	37.125	33.062	33.437	24
2689	37.437	33.375	33.687	24.562
2690	37.062	33.187	33.562	24.5
2691	37.187	33.187	33.75	24.625
2692	37.437	33.187	33.562	24.937
2693	37.437	33.375	33.812	25.187
2694	37.437	33.562	34	25.062

(c)

Figure 2 Improved signal housing fitted with the third generation of LED drivers, (a) the new prototype signal light with the current Aerogel insulation material, (b) the new prototype signal light with alternative insulation materials (shown only one type), (c) the test results with the current Aerogel insulation at room temperature.

It was found that the mass production of the signal housings needs minor adjustment for quality control. The problem was that the lens surface of the product in mass production could be uneven, which is against the design, due to the fast production speed and short time of cooling products. The problem was shown in Figure 3, which happens in almost half of the products.




Figure 3 Uneven (concave) lens surface of the new signal housing in mass production.

The concave surface of the new housing (Figure 3) made the assembly of the final signal light products difficult, and could easily crack the inside glass disc used to support the 96 Fresnel lenses. As a result, we have requested the housing manufacturer to improve the mass production techniques to solve this problem

with a maximum tolerance of uneven lens' surface of 0.5 mm in depth. The manufacturer has worked out a solution by adding a cooling tool in the plastic injection process, which is expected to solve the problem of uneven lens' surface. We are waiting for new samples for assembly of final prototypes for field tests.

The roof tests were also undergoing, simulating the actual field tests using the new house-built field monitoring system, as shown in Figure 4, which consists of a Raspberry PI computer, three cable cameras used to monitor three signal lights (Red, Yellow, Green) in each unit, four temperature sensors used to record the lens' surface temperature of the three signal lights (Red, Yellow, Green) and the ambient air temperature, USB flash drivers used to store the year around test data (pictures and temperature dataset), power supplies, and mounting accessories. Sample photos of the signal light lens surfaces and screen copies of the recorded real-time temperature (in portion) are shown in Figure 5.





Figure 4 roof tests of the latest prototypes with a self-designed and custom built in-house field monitoring system. This is the whole system to be mounted at every field test site for year-around real-time monitoring and data recording of the new signals in the field.





2019-09-16 17:56 (CDT)



2019-09-16 00:11 (CDT)



2019-09-16 06:09 (CDT)

```

therm_records.txt
Dataset #3293 date: 09_14_2019_00:00:58;CDT
T_RED: 25.625000 deg. ;T_YELLOW: 20.875000 deg. ;T_GREEN: 23.062000 deg. ;T_AMBIENT: 17.500000 deg.
Dataset #3294 date: 09_14_2019_00:02:06;CDT
T_RED: 25.437000 deg. ;T_YELLOW: 20.687000 deg. ;T_GREEN: 23.000000 deg. ;T_AMBIENT: 17.437000 deg.
Dataset #3295 date: 09_14_2019_00:03:13;CDT
T_RED: 25.500000 deg. ;T_YELLOW: 20.687000 deg. ;T_GREEN: 22.687000 deg. ;T_AMBIENT: 17.437000 deg.
Dataset #3296 date: 09_14_2019_00:04:21;CDT
T_RED: 25.312000 deg. ;T_YELLOW: 20.687000 deg. ;T_GREEN: 22.750000 deg. ;T_AMBIENT: 17.375000 deg.
Dataset #3297 date: 09_14_2019_00:05:28;CDT
T_RED: 25.312000 deg. ;T_YELLOW: 20.812000 deg. ;T_GREEN: 22.937000 deg. ;T_AMBIENT: 17.375000 deg.
Dataset #3298 date: 09_14_2019_00:06:35;CDT
T_RED: 25.312000 deg. ;T_YELLOW: 20.625000 deg. ;T_GREEN: 22.937000 deg. ;T_AMBIENT: 17.312000 deg.
Dataset #3299 date: 09_14_2019_00:07:43;CDT
T_RED: 25.437000 deg. ;T_YELLOW: 20.687000 deg. ;T_GREEN: 22.687000 deg. ;T_AMBIENT: 17.312000 deg.
Dataset #3300 date: 09_14_2019_00:08:50;CDT
T_RED: 25.375000 deg. ;T_YELLOW: 20.750000 deg. ;T_GREEN: 22.812000 deg. ;T_AMBIENT: 17.312000 deg.
Dataset #3301 date: 09_14_2019_00:09:57;CDT
T_RED: 25.125000 deg. ;T_YELLOW: 20.750000 deg. ;T_GREEN: 22.812000 deg. ;T_AMBIENT: 17.250000 deg.
Dataset #3302 date: 09_14_2019_00:11:05;CDT
T_RED: 25.375000 deg. ;T_YELLOW: 20.687000 deg. ;T_GREEN: 22.875000 deg. ;T_AMBIENT: 17.250000 deg.
Dataset #3303 date: 09_14_2019_00:12:12;CDT
T_RED: 25.562000 deg. ;T_YELLOW: 20.687000 deg. ;T_GREEN: 22.750000 deg. ;T_AMBIENT: 17.187000 deg.
Dataset #3304 date: 09_14_2019_00:13:19;CDT
T_RED: 25.437000 deg. ;T_YELLOW: 20.687000 deg. ;T_GREEN: 22.750000 deg. ;T_AMBIENT: 17.125000 deg.
Dataset #3305 date: 09_14_2019_00:14:27;CDT
T_RED: 25.187000 deg. ;T_YELLOW: 20.625000 deg. ;T_GREEN: 22.812000 deg. ;T_AMBIENT: 17.125000 deg.
Dataset #3306 date: 09_14_2019_00:15:34;CDT
T_RED: 25.375000 deg. ;T_YELLOW: 20.625000 deg. ;T_GREEN: 22.750000 deg. ;T_AMBIENT: 17.125000 deg.
Dataset #3307 date: 09_14_2019_00:16:42;CDT
T_RED: 25.375000 deg. ;T_YELLOW: 20.625000 deg. ;T_GREEN: 22.687000 deg. ;T_AMBIENT: 16.937000 deg.
Dataset #3308 date: 09_14_2019_00:17:49;CDT
T_RED: 25.125000 deg. ;T_YELLOW: 20.625000 deg. ;T_GREEN: 22.812000 deg. ;T_AMBIENT: 17.000000 deg.
Dataset #3309 date: 09_14_2019_00:18:56;CDT
T_RED: 25.062000 deg. ;T_YELLOW: 20.500000 deg. ;T_GREEN: 22.812000 deg. ;T_AMBIENT: 16.937000 deg.
Dataset #3310 date: 09_14_2019_00:20:04;CDT

```

```

therm_records.txt
Dataset #2667 date: 09_13_2019_12:18:36;CDT
T_RED: 36.187000 deg. ;T_YELLOW: 32.500000 deg. ;T_GREEN: 32.937000 deg. ;T_AMBIENT: 23.437000 deg.
Dataset #2668 date: 09_13_2019_12:19:48;CDT
T_RED: 36.250000 deg. ;T_YELLOW: 32.562000 deg. ;T_GREEN: 33.062000 deg. ;T_AMBIENT: 23.562000 deg.
Dataset #2669 date: 09_13_2019_12:20:57;CDT
T_RED: 35.750000 deg. ;T_YELLOW: 31.875000 deg. ;T_GREEN: 32.437000 deg. ;T_AMBIENT: 23.062000 deg.
Dataset #2670 date: 09_13_2019_12:22:04;CDT
T_RED: 36.062000 deg. ;T_YELLOW: 32.250000 deg. ;T_GREEN: 32.750000 deg. ;T_AMBIENT: 23.125000 deg.
Dataset #2671 date: 09_13_2019_12:23:11;CDT
T_RED: 36.062000 deg. ;T_YELLOW: 32.312000 deg. ;T_GREEN: 32.937000 deg. ;T_AMBIENT: 23.375000 deg.
Dataset #2672 date: 09_13_2019_12:24:19;CDT
T_RED: 35.750000 deg. ;T_YELLOW: 32.125000 deg. ;T_GREEN: 32.875000 deg. ;T_AMBIENT: 23.312000 deg.
Dataset #2673 date: 09_13_2019_12:25:26;CDT
T_RED: 36.312000 deg. ;T_YELLOW: 32.500000 deg. ;T_GREEN: 32.937000 deg. ;T_AMBIENT: 23.875000 deg.
Dataset #2674 date: 09_13_2019_12:26:33;CDT
T_RED: 36.437000 deg. ;T_YELLOW: 32.562000 deg. ;T_GREEN: 33.062000 deg. ;T_AMBIENT: 23.687000 deg.
Dataset #2675 date: 09_13_2019_12:27:41;CDT
T_RED: 36.625000 deg. ;T_YELLOW: 32.937000 deg. ;T_GREEN: 33.687000 deg. ;T_AMBIENT: 24.375000 deg.
Dataset #2676 date: 09_13_2019_12:28:48;CDT
T_RED: 36.812000 deg. ;T_YELLOW: 32.937000 deg. ;T_GREEN: 33.750000 deg. ;T_AMBIENT: 24.750000 deg.
Dataset #2677 date: 09_13_2019_12:29:55;CDT
T_RED: 37.062000 deg. ;T_YELLOW: 32.937000 deg. ;T_GREEN: 33.375000 deg. ;T_AMBIENT: 24.812000 deg.
Dataset #2678 date: 09_13_2019_12:31:02;CDT
T_RED: 37.187000 deg. ;T_YELLOW: 33.125000 deg. ;T_GREEN: 33.562000 deg. ;T_AMBIENT: 25.187000 deg.
Dataset #2679 date: 09_13_2019_12:32:09;CDT
T_RED: 37.062000 deg. ;T_YELLOW: 33.250000 deg. ;T_GREEN: 33.687000 deg. ;T_AMBIENT: 25.250000 deg.
Dataset #2680 date: 09_13_2019_12:33:16;CDT
T_RED: 37.000000 deg. ;T_YELLOW: 33.000000 deg. ;T_GREEN: 33.437000 deg. ;T_AMBIENT: 25.375000 deg.
Dataset #2681 date: 09_13_2019_12:34:23;CDT
T_RED: 37.500000 deg. ;T_YELLOW: 33.312000 deg. ;T_GREEN: 33.500000 deg. ;T_AMBIENT: 25.250000 deg.
Dataset #2682 date: 09_13_2019_12:35:30;CDT
T_RED: 37.562000 deg. ;T_YELLOW: 33.625000 deg. ;T_GREEN: 34.187000 deg. ;T_AMBIENT: 25.437000 deg.
Dataset #2683 date: 09_13_2019_12:36:38;CDT
T_RED: 37.500000 deg. ;T_YELLOW: 33.562000 deg. ;T_GREEN: 34.312000 deg. ;T_AMBIENT: 25.375000 deg.
Dataset #2684 date: 09_13_2019_12:37:45;CDT
T_RED: 37.125000 deg. ;T_YELLOW: 33.062000 deg. ;T_GREEN: 33.687000 deg. ;T_AMBIENT: 24.625000 deg.
Dataset #2685 date: 09_13_2019_12:38:52;CDT
T_RED: 36.750000 deg. ;T_YELLOW: 32.812000 deg. ;T_GREEN: 33.125000 deg. ;T_AMBIENT: 24.250000 deg.
Dataset #2686 date: 09_13_2019_12:40:03;CDT

```

Figure 5 Sample results of the ongoing roof tests with the field monitoring system, including photos of the lens' surface and temperature data recorded every 20 seconds in winter seasons (when the ambient temperature is lower than 4° Celsius) and every hour in summer seasons.

Accordingly, preparations of those 21 prototypes are in progress for field tests. Seven states (Kansas, California, Michigan, New Jersey, Wisconsin, Pennsylvania, and Maryland) are participating in field testing and evaluation of the prototypes.

Anticipated work next quarter:

Starting from Oct 1, 2019 till Dec 30, 2019, we are planning to conduct the following tasks.

1. Continue testing the fully working 21 prototypes and 7 monitoring systems, to be used for final field tests in each test site.
2. Communicate with each state to locate the field test sites and the detailed plan on field installations.
3. Install the field prototypes and start monitoring their performance over years

Significant Results:

As of June 30, 2019, we have achieved the following significant results.

- This project was launched in Aug 2016 with six participating states (Kansas, California, Michigan, New Jersey, Wisconsin, and Pennsylvania) and an initial budget of \$240,000. Maryland is expected to officially join the study by the end of this year with additional contribution of three years funding.
- An expert panel meeting was held in early March. Discussions were held on desired specifications of the prototype signals and possible field test sites as well as the field evaluation of the prototypes.
- Necessary equipment, components and insulation materials are being procured to develop and build the fully working prototypes of the finalized design and test for their thermal and lighting performance. We will continue to order LED drivers, electricity monitors, waterproof security video cameras, other mounting accessories and materials, etc., for monitoring the performance of the prototypes in the field tests in the upcoming winter season.
- Appropriate color LED modules, which are not available in the market, were designed in-house and custom-made with the aid of the industrial partner.
- Three preliminary prototype signals (Red, Yellow, and Green) of Type 1 have been developed in house, each deploying 26 custom-made color LEDs mounted in an array via "Heat Arrangement of LED Arrays in Low Profile". They are under laboratory testing for improvements.
- Tested the lighting and thermal performance of the preliminary prototypes of the Type 1 signal lights

(Figure 1). Based on the test results, new design with a lot of changes and improvements has been finalized for final products.

- Finalized the design of Type 1 self de-icing LED signals using 96 custom-made mediate-power color LEDs mounted in an array via “Heat Arrangement of LED Arrays in Low Profile”. Designed in house and custom-made our own color LED modules (for each color R, G, Y) for making the fully working prototype signals of the first type with the aid of our industrial partner.
- Worked with the factories to optimize the mounting method of the custom-made LED modules on the 3-5 mm thick aluminum MPCB back plate serving as the passive heat exchangers of aluminum alloy for assembly.
- Custom-made three prototypes of the LED signals of Type 1 using 96 custom-made mediate-power color LEDs mounted in an array via “Heat Arrangement of LED Arrays in Low Profile”, with regular paint coating, and finished laboratory testing for improvements and optimizations to finalize the design.
- Improved and custom-made three new signal light engines using 96 medium-power LEDs (0.25 Watt each) mounted in an array via “Heat Arrangement of LED Arrays in Low Profile” but with Tin coating (Figure 3) and tested them to improve the heating performance (to make faster heat transfer).
- Finalized the design of the signal lens that adopts a whole piece design with smooth and flat outside surface and integrated with 96 additional custom-made Fresnel lenses sitting inside the signal lens over each LED on the inside surface to focus the light serving as a collimator lens. Based on the testing results, the signal light engines with TIN coating may have superior thermal performance, however, further testing in the laboratory and field is necessary to validate the final choice.
- Identified and started custom-making the Fresnel Lens from HongXuan Optoelectronic company with diameter 15 mm and focal length 6 mm (model # HX-F015006).
- Developed the new whole-piece signal housing, new Fresnel lenses, LED drivers, and other accessories for the Type 1 self de-icing LED signal lights, with the aid of the industrial partner.
- Found and selected a qualified plastic molding company to custom make the three parts of the plastic housing of fully working prototypes of Type 1 signals that deploy 96 mediate-power LEDs via the architecture of “Heat Arrangement of LED Arrays in Low Profile”. The new housing will be used for the new LED signal lights.
- The non-provisional patent application for the invention of Type 2 self de-icing signal light was officially approved by the USPTO and issued on Dec 26, 2017, patent No. US 9,851,086 B2.
- Started custom-making and modeling of the signal housing. Three samples were delivered for examinations and laboratory tests for necessary calibrations and further improvements.
- Started custom-making the LED drivers with desired specifications based on our test results. Seven LED drivers were delivered for sample testing.
- The custom-made signal housing is ready for production of products with possible minor adjustments

for field tests in different states. Six improved samples have been delivered and thoroughly tested in laboratory and closed-setting tests on the roof.

- New type of screws for uses in the signal housing are self-designed and will be custom-made with Fastenal company.
- A company is custom making two improved and finalized types of LED driver, one for YELLOW and GREEN signal lights (output 0.8 A, maximum 30 Watts), the other for RED signal light (output 1.1 A, maximum 30 Watts). The new LED drivers have temperature Sensor control, when the temperature is above 4 degree Celsius, the LED driver output will be derated (For Yellow + Green LED lights, output current 0.5 A, approximately 17- 18 Watts; For Red LED light, output current min 0.6 A, approximately 15-16 Watts.) When the temperature sensor is turned off or failed for any reasons, the power output will be restored to 100% as default.
- The self-deicing signal lights have higher light output than the codes and standards required in all viewing angles from 0 deg to 70 deg as measured, even at the derated power output.
- We have been conducting a closed-course performance and reliability tests of the fully working prototypes mounted on the roof of the University of Kansas engineering complex - M2SEC building, in preparation for field tests.
- Seven states have officially participated in this project, including Kansas, California, Michigan, New Jersey, Wisconsin, Pennsylvania and Maryland to provide support.
- A project addendum is proposed to conduct two additional field tests, one in Wisconsin and another one in a test site among Maryland, Pennsylvania, and New Jersey. A budget of \$80,000 for the addendum is proposed to be spent starting on 5/18/2018 until the end of the project
- We have been continuously testing the closed-course performance and reliability of the prototypes previously mounted on the roof of M2SEC building. All signal lights were powered by the signal controller cabinet with real signaling time cycles (in a cycle length of 90 seconds, Red signal light ON for 50 seconds, Green signal light ON for 35 seconds, and Yellow signal light ON for 5 seconds. The temperature data were recorded every 10 seconds continuously over the entire test period, which will be continuously conducted over both winter and summer seasons in 2019.
- We have designed and custom made new types of screws to improve the connection strength of the screws integrated with the plastic housing. This type of screws are finalized products to be used in all finalized plastic housing.
- We have designed and custom made two types of LED drivers, including one type of custom-made LED driver for **red signal light** (input: 100-240 VAC, output: 0.6-1.1 A, max 30 W), and a second type custom made LED driver for **green/yellow signal light** (input: 100-240 VAC, output: 0.5-0.8 A, max 30 W). Both types of LED drivers are now integrated with a remote temperature sensor for controlling the power output in light of the ambient air temperature. An on/off switch is designed for temperature controls in winter and summer modes which could override the operation of the temperature sensor.
- We have accordingly improved and finalized the plastic housing of the fully working prototype signals

of Type 1 with changes/improvements listed below, with assist of the plastic molding company — Eco Molding. Eco Molding company has custom made seven samples of the finalized new plastic housing for validations tests before actual product production.

- We have produced 60 pcs of the finalized LED engines with the aid of the industrial partner, ready for the upcoming field tests.
- We have also updated and custom made 60 pcs of glass disc which have four small mounting holes removed on the edge (the original glass disc had 8 mounting holes).
- We also custom made plastic mounting bars for mounting the glass disc to the LED light engine.
- We are working on getting improvement on custom-made Fresnal lens model number HX-F0150115 (diameter 15 mm, thickness 2.0 mm, focal length 11.5 mm) to increase tolerance of the thickness (approximately 1.8 – 2.1 mm) while reducing the unit cost.
- We are in preparation for field tests. Three fully functional prototypes of the fourth generation were mounted on a signal pole on the roof of an engineering building, powered by a traffic control cabinet for closed-course performance and reliability tests.
- Three more fully functional prototypes of the fourth generation were also tested in a well-controlled cold room for the performance of the ambient temperature sensor connected to the LED driver for switching full/derated power output. Based on the test results, we are adjusting the power output of the LED drivers. We are also making minor adjustments of the signal housing for quick assembly of the real products. Results have been used to evaluate the readiness of the prototypes for field tests starting in next quarter.
- Corrected some problems and resolved issues of the custom-made LED drivers, including (1) decreased the size of the power connector of the temperature sensor, (2) decreased the length to 6 mm, (3) changed to more reliable single switch, (4) enlarged the inside size of the installation hole to 6mm x 4.5 mm, (5) changed the final designed output current of Yellow/Green LED drivers to 0.40 A (derated) /0.84 A(full output), (6) changed the final designed output current of Red LED drivers to 0.60 A (derated) /1.1 A(full output), (7) improvements on temperature measurement accuracy, redesigned logic circuits, and changes of electronic parts used on the LED PCB boards.
- The signal housing of the fourth generation LED signal lights was revised for quick assembly. We have received the new prototypes of the housing with desired changes, which were tested in the laboratory with satisfactory performance.
- Other parts like glass mounting discs have also been improved in house for enlarging the installation holes to fit the new housing.
- Additional vendors for Fresnel lenses were contacted for lower unit price with higher quality control than the current lens vendor. Based on the lab test results, a total of 5000 PCS of new Fresnel lenses (**Model #1511**) were ordered from the new vendor for field tests.
- Based on the lab test results on the second generation of LED drivers, a total of 21 pcs of the third generation of LED drivers were ordered for lab tests, in preparation for the field tests.

- A total of 21 new LED drivers of the third generation for the field tests were made and are under testing in the laboratory for their field performance and any possible further improvements in need for control of the yield rate in production.
- A new proposal was approved on extended work with increased total project cost of \$360K and extended new end date of June 30, 2021.
- Field monitoring systems powered by Raspberry 3 B+ motherboard, fitted with three cable cameras used to monitor three signal lights (Red, Yellow, Green) in each unit, four temperature sensors used to record the lens' surface temperature of the three signal lights (Red, Yellow, Green) and the ambient air temperature, USB flash drivers used to store the year around test data (pictures and temperature dataset), power supplies, and mounting accessories, have been custom built in house and under testing in the lab and on the roof, which will be mounted at each field test site for year-around real-time monitoring and data recording of the new signals to be tested in the field.
- New fully working prototypes of the signal lights for field tests have been assembled and are under thorough final tests in the laboratory in preparation for upcoming field tests.

Circumstance affecting project or budget. (Please describe any challenges encountered or anticipated that might affect the completion of the project within the time, scope and fiscal constraints set forth in the agreement, along with recommended solutions to those problems).

None.